

## SAFETY DATA SHEET

### 1. Product and Company Identification

---

<b>Product Name</b>	<b>AQUAPHASE AQ-240 CLEANING SOLUTION</b>
<b>Product Number</b>	<b>P678</b>
<b>Product Type</b>	Mixture
<b>Product Use</b>	Detergent designed specifically for use in the Aquaphase Wheelchair Washing Machine.
<b>Manufacturer/Supplier</b>	National Purity, LLC. 6840 Shingle Creek Parkway, Suite #23 Brooklyn Center, MN 55430
<b>Company Contact</b>	612-672-0022
<b>Emergency Telephone Number</b>	1-800-255-3924

### 2. Hazards Identification

---

#### GHS Classification in accordance with 29 CFR 1910 OSHA HCS

Acute toxicity, Oral (Category 3) H301  
Skin corrosion/irritation, (Category 1B) H314  
Eye damage/irritation, (Category 1) H318  
Acute toxicity, inhalation (Category 4) H332  
Acute aquatic toxicity, (Acute 2) H401  
Chronic aquatic toxicity, (Chronic 3) H412

#### GHS Label elements, including precautionary statements

##### Pictogram



##### Signal word

Danger


##### Hazard Statements

H301	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage
H332	Harmful if inhaled.
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects.

##### Precautionary Statements

###### Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breath mist, vapors, or spray.
P264	Wash hand and exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well ventilated area.
P273	Avoid release to the environment.



#### Response

P301+P310+P330

IF SWALLOWED, immediately call a POISON CENTER/doctor. DO NOT INDUCE VOMITING. Rinse mouth with water. Never give anything to an unconscious person.

P303+361+P353+P363

IF ON SKIN, Immediately take off all contaminated clothing. Rinse skin with water or shower if appropriate. Wash contaminated clothing before reuse.

P305+P351+P338

IF IN EYES, rinse cautiously for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor for medical assistance.

P304+P340+P312

IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if feeling unwell.

#### Storage/Disposal

P405

Store locked up.

P501

Dispose of contents/container in accordance with local, state and federal regulations.

### 3. Composition/Information on Ingredients

The criteria for listing components in this section are: Ingredients that meet the criteria for carcinogenic, toxic to reproduction, or specific target organ toxicity and components otherwise considered hazardous according to OSHA which exceed the cut off limits for SDS specified by the criteria for mixtures are listed. Non hazardous components are not listed. This is not a composition disclosure. Exact percentages are considered proprietary and a trade secret.

Hazardous Components	CAS#	Classification	%
Potassium hydroxide	1310-58-3	H301, H314, H318, H402, H412	10-20%
Sodium silicate	1344-09-8	H302, H315, H320, H333, H402, H412	10-15%
Sodium gluconate	527-07-1	H316, H320	2-8%

### 4. First Aid Measures

#### Description of First Aid Procedures

##### General Advice

Consult a physician. Show this SDS to the doctor.

##### In Case of Eye Contact

Flush with cool running water for 15 minutes. Remove contact lenses if possible. Get immediate medical attention.

##### In Case of Skin Contact

Flush with cool water. If irritation occurs, get medical attention.

##### If Ingested

Rinse mouth with water. **Do not induce vomiting.** Obtain medical attention. Never give anything by mouth to an unconscious person.

##### If Inhaled

Move person to fresh air. If breathing difficulty persists, consult a physician.

##### Notes to Physician

Symptoms may be delayed.

##### General advice

Seek medical attention if feeling unwell. Show the SDS to the physician in attendance.

### 5. Fire-fighting Measures

#### Flammable properties

Not flammable

#### Extinguishing media

Use materials designed for source of fire. Treat as an alkaline material.

#### Protection of firefighters

Firefighters should wear protective clothing including self contained breathing apparatus.

#### Hazardous combustion products

May include and not limited to oxides of carbon, and nitrogen, and sulfur.


#### Unusual Fire, Explosion hazards

Containers may melt or rupture from heat of fire. May form combustible mixtures with air when heated..

### 6. Accidental Release Measures

#### Personal precautions

Keep unnecessary personal away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective Clothing.



**Methods for containment  
Methods for cleaning up**

Stop leak if you can do so without risk. Prevent entry into waterways, sewers. Before attempting clean up, refer to hazard data given above. Small spills may be mopped up and rinsed. Large spills may be absorbed with non reactive absorbent and placed in suitable , covered, labeled containers. Rinse area with water. Never return spill to original container for reuse.

**Environmental precautions**

Keep out of waterways. Dispose of contents/containers in accordance with local, state, and federal regulations.

## 7. Handling and Storage

**Precautions for Safe Handling**

Use good industrial hygiene practices when handling this material. Avoid contact with skin and eyes. Avoid inhalation of mists or vapors. Wash contaminated clothing before reuse.

**Conditions for Safe Storage**

Keep container closed when not in use. Keep out of reach of children. Store in cool, well ventilated, dry place, locked up.

## 8. Exposure Controls and Personal Protection

**Exposure Limits**

Ingredients	CAS#	OSHA PEL	ACGIH TLV
Potassium hydroxide	1310-58-3	Not available	2mg/m <sup>3</sup> TLV
Sodium silicate	1344-09-8	Not available	Not available
Sodium gluconate	527-07-1	Not available	5 mg/m <sup>3</sup> TLV

**Engineering controls**

Local exhaust ventilation recommended.

**Personal protective equipment**

**Eye/Face protection**

Wear safety glasses with side shields if splash conditions exist. Have eye wash water and shower facilities available in work area.

**Hand protection**

Wear safety gloves.

**Skin and body**

As required by employer code.

**Respiratory protection**

Use a NIOSH approved respirator when exposure guidelines are exceeded.

**General hygiene considerations**


Handle in accordance with good industrial hygiene practices. Do not eat or drink when using product. Wash hands well before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

**Information on basic physical and chemical properties**

Appearance/form	Clear liquid
Color	Amber
Odor	Odorless
Odor threshold	Not established
pH	14 (concentrate)
Melting/freezing point	Not established
Initial Boiling point	≈212° F. ( 100° C.)
Flash point	None
Evaporation rate	Not established
Flammability	Not flammable
Upper/lower flammability or Explosive limits	Not applicable
Vapor pressure	Not established
Vapor density	Not established
Specific gravity/density	1.344
Vapor density	Not established
Solubility in water	Complete
VOC	< 1.0%
% Volatile	Approx. 77%

**Other Safety Information**



## 10. Stability and Reactivity

---

<b>Reactivity</b>	No data available
<b>Chemical Stability</b>	Stable under normal storage conditions.
<b>Hazardous reactions</b>	None known.
<b>Conditions to avoid</b>	Do not mix with other chemicals. Keep away from sources of heat.
<b>Incompatible materials</b>	Strong acids, alkalais, strong oxidizing agents. Contact with metals like Aluminum, tin, and zinc liberates hydrogen gas. Can react vigorously with halogens.
<b>Hazardous decomposition products</b>	May include but not limited to oxides of carbon, and nitrogen.
<b>Hazardous polymerization</b>	Will not occur.

## 11. Toxicological Information


---

<b>Ingredients</b>	<b>LC50</b>
Potassium hydroxide	Not available
Sodium silicate	Not available
Sodium gluconate	
<b>Ingredients</b>	<b>LD50</b>
Potassium hydroxide	Not available
Sodium silicate	1500-3200 mg/kg (Oral-rats)
Sodium gluconate	> 2000 mg/kg (Oral-rat)
<b>Effects of acute exposure</b>	
<b>Eye</b>	Will cause severe eye damage.
<b>Skin</b>	Will cause severe skin burns.
<b>Ingestion</b>	Harmful if swallowed. May cause corrosive damage to mouth, throat and stomach.
<b>Inhalation</b>	May cause irritation of nose and throat.
<b>Sensitization</b>	No data available.
<b>Chronic effects of short and long Term exposure</b>	Prolonged exposure to skin may cause drying, defatting and irritation.
<b>Carcinogenicity</b>	Does not contain ingredients considered carcinogenic by NTP, IARC, or OSHA.
<b>Mutagenicity</b>	No data available.
<b>Reproductive effects</b>	No data available.
<b>Teratogenicity</b>	No data available.

## 12. Ecological Information

---

<b>Eco-toxicity</b>	Ecological effects for this product have not been analyzed. However, if spilled this product and any contaminated soil may be toxic to aquatic life and have long lasting effects.
<b>Environmental effects</b>	No data available.
<b>Aquatic toxicity</b>	The high pH of this product is acutely harmful to aquatic life.
Potassium hydroxide	No data available
Sodium silicate	LC50 Daphnia magna: 246 mg/l 96 hours LC50 Fish (Gambusia affinis): 2320 mg/l 96 hours
Sodium gluconate	LC50 Fish: > 1000 mg/l 96 hour (predicted) LC50 Daphnia magna: > 1000 mg/l 96 hour (Predicted)
<b>Persistence and Degradability</b>	No data available.
<b>Bioaccumulation/accumulation</b>	No data available.
<b>Partition coefficient</b>	No data available.
<b>Mobility in environmental media</b>	No data available.
<b>Chemical fate information</b>	No data available.
<b>Other adverse effects</b>	No data available.



### 13. Disposal Considerations

<b>Waste codes</b>	Not Available
<b>Disposal instructions</b>	Dispose in accordance with local, state, and federal regulations.
<b>Wastes from residues/unused product</b>	Containerize. Rinse area with water. Keep out of storm sewer/waterways.
<b>Contaminated packaging</b>	Dispose in accordance with all applicable regulations.


### 14. Transport Information

<b>Basic shipping requirements:</b>	US DOT Regulated
<b>Proper shipping name</b>	UN3266Corrosive liquid, n.o.s. (Contains potassium hydroxide, sodium silicate), 8, PG II
<b>Hazard class</b>	8
<b>UN number</b>	UN3266
<b>Packing group</b>	PG II
<b>Special provisions</b>	Not applicable

### 15. Regulatory Information

<b>U.S federal regulations</b>	This product has been classified in accordance with the Occupational Safety and Health Administration hazard criteria and the SDS contains all of the information required by OSHA. HCS 2012	
<b>TSCA</b>	All ingredients are listed on the Toxic Substances Control Act or are exempt from listing.	
<b>Cercla SuperFund 40CFR117.302</b> Potassium hydroxide	This product contains a material with a Reportable Quantity (RQ) RQ= 25,000 Lbs.	
<b>SARA Title III Section 311&amp;312</b> <b>SARA Title III Section 313</b>	Immediate (Acute) Health Hazard Product does not contain substances on the list of Toxic Chemicals per 40CFR372:	
<b>States Right to Know</b>	Reportable chemicals: Potassium hydroxide,	
<b>California Proposition 65</b>	This product does not contain chemicals known to the state of California to cause cancer.	
<b>Inventory Status</b>	<b>Inventory Name</b>	<b>On Inventory (Yes/No)*</b>
<b>Countries</b>		
U.S.	CIL	Yes
Canada	DSL	Yes

- A “Yes” indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.



## 16. Other Information

---

### HMIS RATING

HMIS Legend

Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>Health</b>	<b>3</b>
<b>Flammability</b>	<b>0</b>
<b>Reactivity</b>	<b>1</b>
<b>Personal Protection</b>	<b>B</b>

### Disclaimer

To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

### Issue date

January 9, 2019

### Supersedes date

August 28, 2015

### Reason for update

Update DOT classification in Section 14.