

# Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division: Janitorial

**TB-CIDE PLUS II** Product Number: 1023

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990 1110 Spartan Drive Medical Emergency: 1-(888)-314-6171 (24 hours)

Maumee OH 43537 Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Flammable liquids, corrosive, n.o.s., 3, (8), UN2924, III (contains isopropanol, sodium hydroxide)

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 2 - Moderate	Fire: 2 - Moderate
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
·	Pers. Prot. Equip.: See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
*Ortho phenyl phenol	10-15	90-43-7	1 (Dow)	Not Established	Not Established	No
Ortho benzyl para chlorophenol	5-10	1020-32-1	Not Established	Not Established	Not Established	No
Sodium hydroxide	5-10	1310-73-2	2	Not Established	Not Established	No
Para-tertiary-amylphenol	1-5	80-46-6	Not Established	Not Established	Not Established	No

Comment: \*This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

## SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure: Unknown		
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete		
pH: 12.0-13.0	Specific Gravity (H <sub>2</sub> O=1): 1.07-1.10		
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 50-55		
Physical State: Liquid			
Appearance & Odor: Amber brown to purple, Slight citrus fragrance			

#### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: 103°F	Method Used: ASTM-D56			
Flammable Limits: N/A	Flame Extension: N/A			
Extinguishing Media: Water spray, foam, carbon dioxide &	Water spray, foam, carbon dioxide & dry chemical			
Special Fire Fighting Procedures: Wear NIOSH approved self-containe containers with water spray.	S: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.			

Unusual Fire & Explosive Hazards: Products of combustion are toxic.

	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes and Oral		
Effects of Overexposure-		- Oldi		
Conditions to Avoid:				
	Causes irreversible eye damage: Sy	mptoms may include pain, redness, swelling of the conjunctiva an		
	tissue damage.			
	Causes skin burns: Symptoms may include pain, redness and tissue destruction. Harmful if absorbe			
	through the skin.	oms may include nausea, vomiting, pain and diarrhea.		
		rm or irritation: Breathing spray mist may cause coughing and othe		
	Do not get in eyes, on skin or clothir	g. Do not taste or swallow. Avoid inhalation of spray mist. Wasl		
	thoroughly with soap and water after h	andling and before eating, drinking or using tobacco.		
Conditions Aggravated by Use:	Use of this product may aggravate pro	eexisting skin; eye and respiratory disorders including asthma and		
	dermatitis.			
Emergency & First Aid Procedures:				
Eyes:	-	ently with water for 15-20 minutes. Remove contact lenses; if		
	present; after the first five minutes; th	<u> </u>		
Skin:	•	e skin immediately with plenty of water for 15-20 minutes. Call a		
	poison control center or doctor for treatment advice. Wash contaminated clothing before reuse.  1: Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not			
Ingestion:				
	give anything by mouth to an unconso	<u>'</u>		
Inhalation:	<sup>15</sup> Move person to fresh air. If person is not breathing; call 911 or an ambulance; then give artificial respiration; preferably mouth to mouth if possible. Call a poison control center or doctor for further			
	treatment advice.			
Note to Physician: Probable mucosal respiratory depression and convulsion		gastric lavage. Measures against circulatory shock,		
		gastric lavage. Measures against circulatory shock,		
respiratory depression and convulsion SECTION VI: REACTIVITY DATA	may be needed.	gastric lavage. Measures against circulatory shock,  Incompatible Materials: Acids; other detergents; chlorine		
respiratory depression and convulsion  ECTION VI: REACTIVITY DATA  Stability:	may be needed.  Stable			
respiratory depression and convulsion SECTION VI: REACTIVITY DATA	Stable CO, CO <sub>2</sub>	Incompatible Materials: Acids; other detergents; chlorine		
RECTION VI: REACTIVITY DATA Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PROC	Stable CO, CO <sub>2</sub>	Incompatible Materials: Acids; other detergents; chlorine		
respiratory depression and convulsion  ECTION VI: REACTIVITY DATA  Stability: Hazardous Decomposition Products:  ECTION VII: SPILL OR LEAK PROC  Steps to be Taken in Case	may be needed.  Stable  CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w	Incompatible Materials: Acids; other detergents; chlorine		
respiratory depression and convulsion SECTION VI: REACTIVITY DATA Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	may be needed.  Stable  CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to rith water and flush to sanitary sewer. Keep spill out of storm		
respiratory depression and convulsion SECTION VI: REACTIVITY DATA Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	may be needed.  Stable  CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to		
respiratory depression and convulsion SECTION VI: REACTIVITY DATA Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	may be needed.  Stable  CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.  Dispose of in compliance with all federal	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to rith water and flush to sanitary sewer. Keep spill out of storm		
SECTION VII: SPECIAL PROTECTION VIII: SPECIAL PROTECTION VIIII: SPECIAL PROTECTION VIIIIIII VIIIII VIIIII VIIIII VIIIII VIIII VIIIII VIIII VIIIII	Stable CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.  Dispose of in compliance with all federal Information (Information)  Not normally required when good ger	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to rith water and flush to sanitary sewer. Keep spill out of storm  eral, state and local laws and regulations.  teral ventilation is provided. However, if exposure limits (see Section occurs, use of a NIOSH approved respirator suitable for the		
respiratory depression and convulsion SECTION VI: REACTIVITY DATA Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION	Stable CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.  Dispose of in compliance with all federal Normally required when good ger II) are exceeded or if respiratory irritar use-conditions and chemicals in Section	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to rith water and flush to sanitary sewer. Keep spill out of storm  eral, state and local laws and regulations.  teral ventilation is provided. However, if exposure limits (see Section occurs, use of a NIOSH approved respirator suitable for the ion II should be considered.		
RECTION VII: REACTIVITY DATA  Stability: Hazardous Decomposition Products:  SECTION VII: SPILL OR LEAK PROCUMENTS  Steps to be Taken in Case Material is Released or Spilled:  Waste Disposal Method:  RECTION VIII: SPECIAL PROTECTION Respiratory Protection:  Ventilation:	Stable CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all federal North N	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to with water and flush to sanitary sewer. Keep spill out of storm  eral, state and local laws and regulations.  teral ventilation is provided. However, if exposure limits (see Section it ion occurs, use of a NIOSH approved respirator suitable for the ion II should be considered.  cal exhaust ventilation may be necessary for some operations.		
RECTION VII: REACTIVITY DATA Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTION Respiratory Protection:	Stable CO, CO <sub>2</sub> EDURES  Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all federal North N	Incompatible Materials: Acids; other detergents; chlorine Hazardous Polymerization: Will Not Occur  ial (sand, earth, commercial absorbent, etc.) and transfer to rith water and flush to sanitary sewer. Keep spill out of storm  eral, state and local laws and regulations.  eral ventilation is provided. However, if exposure limits (see Section ion occurs, use of a NIOSH approved respirator suitable for the ion II should be considered.  cal exhaust ventilation may be necessary for some operations.  ler impervious gloves are recommended to prevent skin contact.		

## SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Do not store near heat or open flame.	Keep from freezing.	Do not contaminate water, food or feed by
	storage or disposal.		
Other Precautions:	Keep out of reach of children.		

© SCC 10/23/2010 Name: Ronald T. Cook Title: Manager, Regulatory Affa	© SCC 10/23/2010	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs
---	------------------	-------	----------------	--------	-----------------------------

TB-CIDE PLUS II Effective Date: 10/23/2010 Supercedes: 01/25/2008

Ref: 29 CFR 1910.1200 (OSHA) Changes: General Update

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.