MATERIAL SAFETY DATA SHEET - National Purity, LLC, 6840 Shingle Creek Pkwy Ste. 23, Brooklyn Center, MN 55430

For hazard or emergency information call: 1-800-255-3924

SECTION I PRODUCT IDENTIFICATION -

Product Name: Rust Inhibitor P-082 DOT Proper Shipping Name: Cleaning compound

Formula Type: Blended amine liquid

SECTION II <u>HAZARDOUS INGREDIENTS -</u>

Name C.A.S. No. % Exposure Limit

 Isopropyl Alcohol
 67-63-0
 5-10
 400 ppm

 Amine Salt
 no CAS #
 20-30
 None established

SECTION III PHYSICAL DATA

Appearance/Odor: Clear amber/solvent odor Solubility in Water: complete Evaporation Rate (butyl acetate=1): = water

Specific Gravity: .876 pH: $6.4 \pm .2$ Vapor Pressure (mm HG): .1 @ 68° F max

% Evaporation by Volume: > 75 Boiling Point (F°): aprx 200 Vapor Density (air=1): > 1

SECTION IV FIRE AND EXPLOSION INFORMATION -

Flashpoint (F°) (Method Used): 130° TOC

Extinguishing media: x foam CO₂ x dry chemical x water fog other not applicable

Special fire fighting procedures:

Use procedure proper for the primary source of the fire.

Unusual fire and explosion hazard: Containers may rupture or melt from the heat of a fire. No unusual combustion products.

SECTION V HEALTH HAZARD DATA - PRIMARY ROUTES OF ENTRY: Eyes, skin, ingestion.

Signs and symptoms -

Eye Contact: Can cause irritation and may injure eye tissue if eyes are not promptly washed.

Skin Contact: Frequent or prolonged contact may irritate and cause dermatitis.

Inhalation: Generally not a hazard. Excessive inhalation may cause dizziness or irritation to respiratory tract.

Ingestion: Nausea, stomach pain, irritant to mouth, throat and stomach. Medical Conditions generally aggravated by exposure: Pre-existing skin disorders.

FIRST AID PROCEDURES -

Eye Contact: Immediately flush with cool water for 15 minutes while holding eyelids apart. If irritation develops, obtain medical attention. Skin Contact: Immediately flush with cool water. If irritation develops, obtain medical attention. Remove and wash contaminated clothing.

Inhalation: Remove to fresh air. Obtain medical aid if symptoms persist.

Ingestion: Do NOT induce vomiting. Drink several glasses of water. Obtain medical attention. If unconscious, do not give anything to drink,

and do NOT induce vomiting. Obtain immediate medical aid.

SECTION VI REACTIVITY DATA -

Stability: Stable

Incompatibility (materials to avoid): Acids and oxidizers

Hazardous decomposition products: none Hazardous polymerization: will not occur

SECTION VII SPILL OR LEAK PROCEDURES -

Steps to be taken in case material is released or spilled: Small spills: Mop up and rinse with water. Wear protective equipment. Large spills: Dike with earth or sand to prevent liquid from entering sewer and waterways. Salvage liquid if possible. Absorb remainder. Shovel into containers for waste

disposal.

Waste disposal information: Dispose in conformance to all local, state and federal regulations. Consult local EPA if product enters waterways.

SECTION VIII SPECIAL PROTECTION INFORMATION -

Respiratory Protection: Not needed when used according to directions. If TLV is exceeded wear NIOSH approved respirator for organic vapors.

Ventilation: General, local.

Protective gloves: Rubber, or nitrile if there is skin contact. Eye Protection: Goggles or splash proof glasses.

Other protective measures: Rubber boots if there is a spill.

SECTION IX SPECIAL PRECAUTIONS -

Handling and Storage:

Keep container closed when not in use. For industrial and institutional use only. Keep out of reach of children. Keep from freezing. Storage temperature:

Ambient to 120 ° F. Other precautions: Wash contaminated clothing before reuse.

SECTION X TOXICITY DATA -

Product does not contain ingredients considered to be carcinogenic by NTP, IARC, or OSHA. 2 Butoxy Ethanol: Over exposure has apparently been

found to cause the following effects in laboratory animals: anemia, liver abnormalities, kidney damage, lung damage, blood abnormalities.

SECTION XI $\underline{\text{HAZARD RATING}}$ - 0 = MINIMAL 1 = SLIGHT 2 = MODERATE 3 = SERIOUS 4 = SEVERE

Health: 1 Reactivity: 0 Fire: 2 Special: none

SECTION XII REGULATORY INFORMATION -

2-Butoy ethanol is subject to reporting requirements of section 313 of Title III SARA.

SECTION XIII DOCUMENTARY INFORMATION -

Date issued: 06/15/09 Supercedes: 6/24/00 Reason for update: Review

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.